| Process for | polymerizin lefins and catalyst for polyme g olefins. A79 |
|---|---|
| Patent Number: | □ <u>EP0385765</u> , <u>A3</u> , <u>B1</u> |
| Publication date: | 1990-09-05 |
| Inventor(s): | ISHIMARU NAOSHI C O MITSUI PET (JP); KIOKA MAMORU C O MITSUI PETROC (JP); TOYOTA AKINORI C O MITSUI PETR (JP) |
| Applicant(s):: | MITSUI PETROCHEMICAL IND (JP) |
| Requested Patent: | KR9300665 ← |
| Application Number: | EP19900302160 19900228 |
| Priority Number (s): | JP19890050868 19890302 |
| IPC Classification: | C08F4/646 ; C08F10/00 |
| EC Classification: | C08F10/00, C08F297/08 |
| Equivalents: | CA2011188, CN1029233B, CN1045400, DE69019046D, DE69019046T |
| Abstract | |
| A catalyst for polymerization of an olefin, said catalyst being formed from [A] a solid titanium catalyst component comprising magnesium, titanium, halogen and an electron donor as essential ingredients, [B] an organoaluminum compound catalyst component, and [C] an electron donor catalyst component comprising at least two electron donors including an electron donor (1) and an electron donor (2), the MFR (a) of homopolypropylene obtained by using the electron donor (1) together with the solid titanium catalyst component [A] and the organoaluminum compound catalyst component [B] has the following relation to the MFR (b) of homopolypropylene obtained by using the electron donor (2) under the same polymerization conditions as in the case of using the electron donor (1) log [MFR (b)/MFR (a)]>/=1.5. This catalyst can give an olefin polymer having a broad molecular weight. Also provided is a process for polymerizing or copolymerizing an olefin in the presence of the above catalyst. | |
| Data supplied from the esp@cenet database - I2 | |

BEST AVAILABLE COPY